

# Yamaha CVP-Series Comparison

## Full Spec Sheet Below

[CVP-Series](#)  
[Learning Hub](#)

[popplerspiano.com](http://popplerspiano.com)

701-746-7471

Yamaha Clavinova CVP Series Spec Sheet	<a href="#">CVP-809GP</a>	<a href="#">CVP-809</a>	<a href="#">CVP-805</a>
Keyboard: GrandTouch™ action	X	X	X
Pedal: Sustain, Sostenuto, Soft	X	X	X
Display: TFT Color LCD Screen	X	X	X
Display: LCD Brightness	X	X	X
Display: Touch Screen	X	X	X
Display: Score Display Function	X	X	X
Display: Lyrics Display Function	X	X	X
Display: Text Viewer Function	X	X	X
Folding Key Cover	X	X	X
Music Rest	X	X	X
Music Clips	X	X	X
Voice: CFX Binaural Sampling	X	X	X
Voice: Key-off Samples	X	X	X
Voice: Smooth Release	X	X	X
Voice: Virtual Resonance Modeling (VRM)	X	X	X
Reverb: 65 Preset + 30 User	X	X	X
Master Compressor: 5 Preset + 30 User	X	X	X
Master EQ: 5 Preset + 30 User	X	X	X
Part EQ: 27 Parts	X	X	X
Intelligent Acoustic Control (IAC)	X	X	X
Stereophonic Optimizer	X	X	X
Vocal Effect: 54 Preset + 60 User	X	X	X
Effect: Dual/Layers	X	X	X
Effect: Split	X	X	X
Style Creator	X	X	X
One Touch Setting (OTS): 4 for Each Style	X	X	X
Chord Looper	X	X	X
Number of Preset Songs: 50 Classics + 303 Lesson Songs + 50 Popular	X	X	X
Recording: 16 Recording Tracks	X	X	X
Recording: 3MB/Song Capacity	X	X	X
Registration: Registration Sequence, Freeze	X	X	X
Lesson Guide: Follow Lights, Any Key, Karao-Key, Your Tempo	X	X	X

# Yamaha CVP-Series Comparison

## Full Spec Sheet Below

[CVP-Series](#)  
[Learning Hub](#)

[popplerspiano.com](http://popplerspiano.com)

701-746-7471

Guide Lamp	X	X	X
Performance Assistant Technology (PAT)	X	X	X
Piano Room	X	X	X
USB Audio: Time Stretch	X	X	X
USB Audio: Pitch Shift	X	X	X
USB Audio: Vocal Cancel	X	X	X
Built-in Metronome	X	X	X
Audio Only Bluetooth	X	X	X
Pedal: GP Response Damper Pedal	X	X	
Display: 9 Inch Screen	X	X	
Insertion Effect: 358 Preset + 30 User	X	X	
Variation Effect: 358 Preset + 30 User	X	X	
Voice: 1605 Voices + 58 Drum/SFX Kits + 480 XG Voices	X	X	
Chorus: 107 Preset + 30 User	X	X	
Chorus: 106 Preset + 30 User			
Insertion Effect: 358 Preset + 30 User	X	X	
Variation Effect: 358 Preset + 30 User	X	X	
Voice: 1605 Voices + 58 Drum/SFX Kits + 480 XG Voices	X	X	
Chorus: 107 Preset + 30 User	X	X	
Display: 7 Inch Screen			X
Chorus: 106 Preset + 30 User			
Insertion Effect: 322 Preset + 30 User			X
Variation Effect: 322 Preset + 30 User			X
Voice: 1315 Voices + 49 Drum/SFX Kits + 480 XG Voices			X
Insertion Effect: 322 Preset + 30 User			X
Variation Effect: 322 Preset + 30 User			X
Voice: 1315 Voices + 49 Drum/SFX Kits + 480 XG Voices			X

# Yamaha CVP-Series Comparison

## Full Spec Sheet Below

[CVP-Series](#)  
[Learning Hub](#)

[popplerspiano.com](http://popplerspiano.com)

701-746-7471

Specifications Sheet		<a href="#">CVP-809GP</a>	<a href="#">CVP-809</a>	<a href="#">CVP-805</a>
<b>Size/Weight Range</b>				
Width		1,430 mm (56-5/16")	1,426 mm (56-1/8") Polished finish: 1,429 mm (56-1/4")	1,420 mm (55-15/16") Polished finish: 1,423 mm (56-0")
Height		913 mm (35-15/16")	868 mm (34-3/16") Polished finish: 872 mm (34-5/16")	868 mm (34-3/16") Polished finish: 871 mm (34-5/16")
Depth		1,236 mm (48-11/16")	612 mm (24-1/8") Polished finish: 612 mm (24-1/8")	592 mm (23-5/16") Polished finish: 593 mm (23-3/8")
Weight		125 kg (275 lb, 9 oz)	82 kg (180 lb, 12 oz) Polished finish: 84 kg (185 lbs., 3 oz)	80 kg (176 lb, 6 oz) Polished finish: 84 kg (185 lb, 3 oz)
<b>Keyboard Surface</b>				
		GrandTouch™ Keyboard: Wooden keys (white keys only) Synthetic Ebony and Ivory Key Tops Escapement	GrandTouch™ Keyboard: Wooden keys (white keys only) Synthetic Ebony and Ivory Key Tops Escapement	GrandTouch™ Keyboard: Wooden keys (white keys only) Synthetic Ebony and Ivory Key Tops Escapement
<b>Pedal Type</b>				
GP Response Damper Pedal		Sustain, Sostenuto, Soft Yes	Sustain, Sostenuto, Soft Yes	Sustain, Sostenuto, Soft -
<b>Design/Architecture Detail</b>				
Display Type		TFT Color LCD	TFT Color LCD	TFT Color LCD
Display Size		9 Inch (800 x 400 dots)	9 Inch (800 x 400 dots)	7 Inch (800 x 480 dots)
LCD Brightness		Yes	Yes	Yes
Touch Screen		Yes	Yes	Yes
Color		Yes	Yes	Yes
Score Display Function		Yes	Yes	Yes
Lyrics Display Function		Yes	Yes	Yes
Text Viewer Function		Yes	Yes	Yes
Language		English, Japanese, German, French, Spanish, Italian	English, Japanese, German, French, Spanish, Italian	English, Japanese, German, French, Spanish, Italian
<b>Key Cover Style</b>				
		Folding	Folding	Folding
<b>Music Rest</b>				
		Yes	Yes	Yes
<b>Music Clips</b>				
		Yes	Yes	Yes
<b>Voices</b>				
CFX Binaural Sampling		Yes	Yes	Yes
Key-off Samples		Yes	Yes	Yes
Smooth Release		Yes	Yes	Yes
Virtual Resonance Modeling (VRM)		Yes	Yes	Yes
Presets		1605 Voices +58 Drum/SFX Kits + 480 XG Voices	1605 Voices +58 Drum/SFX Kits + 480 XG Voices	1315 Voices +49 Drum/SFX Kits + 480 XG Voices
<b>Effects</b>				
Reverb		65 Preset + 30 User	65 Preset + 30 User	65 Preset + 30 User
Chorus		107 Preset + 30 User	107 Preset + 30 User	106 Preset + 30 User
Master Compressor		5 Preset + 30 User	5 Preset + 30 User	5 Preset + 30 User
Master EQ		5 Preset + 30 User	5 Preset + 30 User	5 Preset + 30 User
Part EQ		27 Parts	27 Parts	27 Parts
Intelligent Acoustic Control (IAC)		Yes	Yes	Yes
Stereophonic Optimizer		Yes	Yes	Yes
Insertion Effect		358 Preset + 30 User	358 Preset + 30 User	322 Preset + 30 User
Variation Effect		358 Preset + 30 User	358 Preset + 30 User	322 Preset + 30 User
Vocal Effect		54 Preset + 60 User	54 Preset + 60 User	54 Preset + 60 User
Dual/Layers		Yes	Yes	Yes
Split		Yes	Yes	Yes
<b>Accompaniment Styles</b>				
Number of Preset Styles		675	675	525
Fingering		Single Finger, Fingered, Fingered On Bass, Multi Finger, AI Fingered, Full Keyboard, AI Full Keyboard	Single Finger, Fingered, Fingered On Bass, Multi Finger, AI Fingered, Full Keyboard, AI Full Keyboard	Single Finger, Fingered, Fingered On Bass, Multi Finger, AI Fingered, Full Keyboard, AI Full Keyboard
Style Control		INTRO x 3, MAIN VARIATION x 4, FILL x 4, BREAK, ENDING x 3	INTRO x 3, MAIN VARIATION x 4, FILL x 4, BREAK, ENDING x 3	INTRO x 3, MAIN VARIATION x 4, FILL x 4, BREAK, ENDING x 3
<b>Custom</b>				
Style Creator		Yes	Yes	Yes

# Yamaha CVP-Series Comparison

## Full Spec Sheet Below

[CVP-Series](#)  
[Learning Hub](#)

[popplerspiano.com](http://popplerspiano.com)

701-746-7471

Other Features	Music Finder	-	-	-
	One Touch Setting (OTS)	4 for each Style	4 for each Style	4 for each Style
	Style Recommender	-	-	-
	Chord Looper	Yes	Yes	Yes
	File Format	Style File Format (SFF), Style File Format GE (SFF GE)	Style File Format (SFF), Style File Format GE (SFF GE)	Style File Format (SFF), Style File Format GE (SFF GE)
Songs	Number of Preset Songs	50 Classics + 303 Lesson Songs + 50 Popular	50 Classics + 303 Lesson Songs + 50 Popular	50 Classics + 303 Lesson Songs + 50 Popular
Recording	Number of Tracks	16	16	16
	Data Capacity	approx. 3 MB / Song	approx. 3 MB / Song	approx. 3 MB / Song
	Recording Function	Yes	Yes	Yes
Data Format	Playback	SMF (Format 0 & 1), XF	SMF (Format 0 & 1), XF	SMF (Format 0 & 1), XF
	Recording	SMF (Format 0)	SMF (Format 0)	SMF (Format 0)
Functions	Demo	Yes	Yes	Yes
Registration	Number of Buttons	8	8	8
Playlist	Control	Registration Sequence, Freeze	Registration Sequence, Freeze	Registration Sequence, Freeze
	Number of Records	2,500 Records	2,500 Records	2,500 Records
	Lesson/Guide	Follow Lights, Any Key, Karao-Key, Your Tempo	Follow Lights, Any Key, Karao-Key, Your Tempo	Follow Lights, Any Key, Karao-Key, Your Tempo
	Guide Lamp	Yes	Yes	Yes
	Performance Assistant Technology (PAT)	Yes	Yes	Yes
Piano Room		Yes	Yes	Yes
USB Audio Recorder	Playback	WAV (44.1kHz, 16bit, stereo), MP3 (MPEG-1 Audio Layer-3)	WAV (44.1kHz, 16bit, stereo), MP3 (MPEG-1 Audio Layer-3)	WAV (44.1kHz, 16bit, stereo), MP3 (MPEG-1 Audio Layer-3)
	Recording	WAV (44.1kHz, 16bit, stereo), MP3 (MPEG-1 Audio Layer-3)	WAV (44.1kHz, 16bit, stereo), MP3 (MPEG-1 Audio Layer-3)	WAV (44.1kHz, 16bit, stereo), MP3 (MPEG-1 Audio Layer-3)
USB Audio	Time Stretch	Yes	Yes	Yes
	Pitch Shift	Yes	Yes	Yes
	Vocal Cancel	Yes	Yes	Yes
Miscellaneous	Metronome	Yes	Yes	Yes
	Tempo Range	5 - 500, Tap Tempo	5 - 500, Tap Tempo	5 - 500, Tap Tempo
	Transpose	-12-0-12	-12-0-12	-12-0-12
	Tuning	414.8 - 440 - 466.8 Hz (approx. 0.2 Hz increments)	414.8 - 440 - 466.8 Hz (approx. 0.2 Hz increments)	414.8 - 440 - 466.8 Hz (approx. 0.2 Hz increments)
	Scale Type	9	9	9
	Display Out	Yes w/ USB display adaptor	Yes w/ USB display adaptor	Yes w/ USB display adaptor
	Bluetooth	Yes (Audio Only)	Yes (Audio Only)	Yes (Audio Only)
Storage and Connectivity	Internal Memory	approx. 2 GB	approx. 2 GB	approx. 2 GB
Storage	External Drives	USB Flash Drive	USB Flash Drive	USB Flash Drive
Connectivity	Headphones	Standard stereo phone jack (x2)	Standard stereo phone jack (x2)	Standard stereo phone jack (x2)
	Microphone	Input Volume, Mic / Line In	Input Volume, Mic / Line In	Input Volume, Mic / Line In
	MIDI	IN / OUT / THRU	IN / OUT / THRU	IN / OUT / THRU
	AUX IN	Stereo mini	Stereo mini	Stereo mini
	AUX OUT	L / L + R, R	L / L + R, R	L / L + R, R
	AUX Pedal	Yes	Yes	Yes
	USB TO DEVICE	Yes (x 2)	Yes (x 2)	Yes (x 2)
	USB TO HOST	Yes	Yes	Yes
Amplifiers and Speakers	Amplifiers	(40W + 30W + 20W) x 2 + 80W (16 cm + 5 cm + 2.5 cm (dome))	(40W + 30W + 20W) x 2 + 80W (16 cm + 5 cm + 2.5 cm (dome))	(45 W + 20 W) x 2
	Speakers	x 2 + 20 cm, Spruce Cone Speaker, Twisted Flare Port	x 2 + 20 cm, Spruce Cone Speaker, Twisted Flare Port	(16 cm + 2.5 cm (dome)) x 2